



Les effets du dérangement liés aux activités humaines sur la faune sauvage

Synthèse bibliographique

Cette synthèse rassemble les recherches bibliographiques issues des travaux suivants :

Bisch A. 2018. Déclinaison Vosges Jura du plan national d'actions en faveur du Grand Tétras : Tétraonidés et quiétude sur le massif vosgien. Mémoire de fin d'étude. Parc naturel régional des Ballons des Vosges.

Ménoni E. & Pfeffer J.-J. 2023. Groupe scientifique du projet de renforcement du Grand Tétras. Parc naturel régional des Ballons des Vosges.

Sage M., Bédérines M. & Lépeule A. 2023. Life Biodiv'Est – Action C12 - Diagnostic et identification des zones de quiétude potentielles en région Grand-Est.

* * * *

Arlettaz, R., Patthey P., Baltic M., Leu T., Schaub M., Palme R. & Jenni-Eiermann S. 2006. Spreading free-riding snow sports represent a novel serious threat for wildlife. Proceeding of the Royal Society B 274 (1614) : 1219-1224. <https://doi.org/10.1098/rspb.2006.0434>

Arlettaz, R., Patthey P. & Braunisch V. 2012. Impacts of Outdoor Winter Recreation on Alpine Wildlife and Mitigation Approaches: A Case Study of the Black Grouse. Pages 137-154 in *The Impact of Skiing on Mountain Environments*. Bentham Science Publishers.

Baines D. 2003. Does increased access damage success of nesting birds ? The Game Conservancy Trust 34 : 31-34.

Baines D. & Richardson M. 2007. An experiment assesment of the potential effects of human disturbance on Black Grouse in the North Pennines. Ibis 149 suppl 1.

Bal G., Bacon L., Ménoni E., Calenge C., Million A. & Besnard A. 2021. Modélisation de la dynamique du Grand Tétras des Pyrénées françaises pour sa gestion adaptative. Technical report MNHN et OFB. Rendu public en 2021, in press.

Balmford A., Green J.M.H., Anderson M., Beresford J., Huang C., Naidoo R., Walpole M. & Manica A. 2015. Walk on the wild side: Estimating the global magnitude of visits to protected areas. PLoS Biology 13 (2) : 1-7. <https://doi.org/10.1371/journal.pbio.1002074>

Baltic M., Jenni-Eiermann S., Arlettaz R. & Palme R. 2005. A non invasive technic to evaluate human generated stress in Black Grouse. *Annals of the New York Academy of Sciences* 1046 : 81-95. <https://doi.org/10.1196/annals.1343.008>

Bateman P., & Fleming P. 2017. Are negative effects of tourist activities on wildlife over-reported ? A review of assessment methods and empirical results. *Biological Conservation* 211 : 10-19.

Baudains TP. & Lloyd P. 2007. Habituation and habitat changes can moderate the impacts of human disturbance on shorebird breeding performance. *Animal Conservation* 10 (3) : 400-407. <https://doi.org/10.1111/j.1469-1795.2007.00126.x>

Bejder L., Samuels A., Whitehead H., Gales N., Mann J., Connor R., Heithaus M., Watson-Capps J., Flaherty C. & Krützen M. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology* 20 (6) : 1791-1798. <https://doi.org/10.1111/j.1523-1739.2006.00540.x>.

Belleau E. 2006. Parasitology as a contribution towards measuring human-generated stress in black grouse. *Grouse news* 32 : 11-12.

Bennett V. J., Fernández-Juricic E., Zollner P. A., Beard M. J., Westphal L. & Fisher C. L. 2011. Modelling the responses of wildlife to human disturbance: An evaluation of alternative management scenarios for black-crowned night-herons. *Ecological Modelling* 222 : 2770-2779.

Blanc R., Guillemain M., Mouronval J. B., Desmonts D. & Fritz H. 2006. Effects of non-consumptive leisure disturbance to wildlife. *Revue d'écologie (Terre et Vie)* 61 : 117-133.

Bolduc F. & Guillemette M. 2003. Human disturbance and nesting success of Common Eiders : interaction between visitors and gulls. *Biological Conservation* 110 : 77- 83.

Bortchevski et al. 2003. Does fragmentation by logging reduce grouse reproductive success in boreal forests ? *Wildlife Biology* 9 : 275-283.

Brenot J.-F. & Ménoni E. 1999. Response of A Capercaillie population in relation to construction of a ski station in the Pyrenees. Pages 1p. *in* Proceedings of The 8th International Grouse Symposium.1p.

Brenot J.-F., Catusse M. & Ménoni E. 1996. Effets de la station de ski de fond du plateau de Beille (Ariège) sur une importante population de grand tétras (*Tetrao urogallus*). *Alauda* 64 : 249-260.

Briot J.-P. 2023. La gestion et les conséquences du stress chez le Cerf. *Le Montagnard* 55 : 7-13. <https://www.ancgg.org/ad30/wp-content/uploads/sites/35/2023/07/La-gestion-du-stress-et-ses-consequences-chez-le-cerf-Jean-Pierre-BRIOT-N55-Le-Montagnard.pdf>

Cannon W. B. 1915. Bodily Changes in Pain, Hunger, Fear and Rage, an Account of Recent Researches into the Function of Emotional Excitement. New York and London, D. Appleton and Co. <http://archive.org/details/cu31924022542470>.

Cherrier O., Prima M-C. & Rouveyrol P. 2021. Cartographie des pressions anthropiques en France continentale métropolitaine - Catalogue pour un diagnostic du réseau d'espaces protégés, UMS PatriNat (OFB/CNRS/MNHN), Paris, 110p.

Chesnaïs M. 2023. Suivi de la fréquentation sur la Réserve Naturelle Nationale du Tanet-Gazon du Faing, Conservatoire d'espaces naturels de Lorraine. Document de travail en cours de rédaction.

Coetzee BWT. & Chown SL. 2016. A meta-analysis of human disturbance impacts on Antarctic wildlife. *Biological Reviews of the Cambridge Philosophical Society* 91 (3) : 578-596. <https://doi.org/10.1111/brv.12184>

Cooper W. E. & Frederick W. 2007. Optimal Flight Initiation Distance. *Journal of Theoretical Biology* 244 (1) : 59-67. <https://doi.org/10.1016/j.jtbi.2006.07.011>

Coppes J. & Braunisch V. 2013. Managing visitors in nature areas: where do they leave the trails? A spatial model. *Wildlife Biology* 19 : 1-11.

Coppes J., Ehrlicher J., Suchant R. & Braunisch V. 2017. Outdoor recreation causes effective habitat reduction in Capercaillie Tetrao urogallus: a major threat for geographically restricted populations. *Journal of Avian Biology* : 41.

Coppes J., Kämmerle J.L., Willert M., Kohnen A., Palme R. & Braunisch V. 2018. The importance of individual heterogeneity for interpreting faecal glucocorticoid metabolite levels in wildlife studies. *Grouse news* : 25.

Cowling M., Kirkwood R., Boren L., Sutherland D. & Scarpaci C. 2015. The effects of vessel approaches on the New Zealand fur seal (*Arctocephalus forsteri*) in the Bay of Plenty, New Zealand. *Marine Mammal Science* 31 (2) : 501-519. <https://doi.org/10.1111/mms.12171>

Dertien JS., Larson CL. & Reed SE. 2021. Recreation effects on wildlife : a review of potential quantitative thresholds. *Nature Conservation* 44 : 51-68. <https://doi.org/10.3897/natureconservation.44.63270>.

Doherty T., Hays G. & Driscoll D. 2021. Human disturbance causes widespread disruption of animal movement. *Nature Ecology & Evolution* 5 (4) : 513-519.

Dooley J. L., Sanders T. A. & Doherty P. F. 2010. Mallard response to experimental walk-in and shooting disturbance. *Journal of Wildlife Management* 74 : 1815-1824.

Fox A. D. & Madsen J. 1997. Behavioural and distributional effects of hunting disturbance on waterbirds in Europe: Implications for refuge design. *Journal of Applied Ecology* 34 : 1-13.

Frid A. & Dill L. 2002. Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology* 6 : 11.

Friebe A., Swenson J.E. & Sandegren. 2001. Denning chronology of female brown bears in central Sweden. *Ursus* 12 : 37-46.

Gill J. A., Sutherland W. J. & Watkinson A. R. 1996. A method to quantify the effects of human disturbance on animal populations. *Journal of Applied Ecology* 33 : 786-792.

Green R. & Higginbottom K. 2000. The effects of non-consumptive wildlife tourism on free-ranging wildlife: a review. *Pacific Conservation Biology* 6 (3) : 183-197. <https://doi.org/10.1071/PC000183>

Iverson JB., Converse SJ., Smith GR. & Valiulis JM. 2006. Long-term trends in the demography of the Allen Cays Rock Iguana (*Cyclura cyclura inornata*): Human disturbance and density-dependent effects. *Biological Conservation* 132 (3) : 300-310.
<https://doi.org/10.7717/peerj.1793>

Kangas K, Luoto M, Ihanola A, Tomppo E & Siikamäki P. 2010. Recreation-induced changes in boreal bird communities in protected areas. *Ecological Applications* 20 (6) : 1775-1786. <https://doi.org/10.1890/09-0399.1>

Kilgo J.C., Labisky R.F. & Fritzen D.E. 1998. Influences of Hunting on the Behavior of White-Tailed Deer : Implications for Conservation of the Florida Panther. *Conservation Biology* 12 (6) : 1359-64. <https://doi.org/10.1111/j.1523-1739.1998.97223.x>.

Knight R.L. & Gutzwiller K.J. 1995. Wildlife and recreationists: Coexistence through management and research. *Wildlife and Recreationists: Coexistence Through Management and Research*. Retrieved from
<http://books.google.com/books?hl=en&lr=&id=BRbBAVLwQlAC&oi=fnd&pg=PR2&dq=Wildlife+and+Recreationists+Coexistence+through+management+and+research&ots=tLxWRTHxBC&sig=tGeL7wgT3G4a6dZOTZo3qFrX7Lq>

Labigand G., Montadert M., Guillemot C., Suchant R., Weiss H., Preiss F. & Poirot J. 1995. Etude comparative Forêt Noire- Vosges- Jura. Pages 88- 107 in *Proceedings of Le grand tétras question de survie* : 88-107.

Labigand G. & Munier M. 1989. Grand tétras et tourisme hivernal, historique d'une place de chant dans les Hautes Vosges. *Ciconia* 13 : 19-31.

Lanc R.B., Uillemain M.G., Ouronval J.M., Esmonts D.D. & Ritz H.F. 2006. Effects of non-consumptive leisure disturbance to wildlife 61 : 117-134. Retrieved from
http://documents.irevues.inist.fr/bitstream/handle/2042/55674/RevuedEcologie_2006_61_2_117.pdf?sequence=1&isAllowed=y

Larson CL., Reed SE., Merenlender AM. & Crooks KR. 2016. Effects of recreation on animals re-vealed as widespread through a global systematic review. *PLoS ONE* 11 (12) : 1-21. <https://doi.org/10.1371/journal.pone.0167259>

Le Corre N. 2009. Le dérangement de l'avifaune sur les sites naturels protégés de Bretagne : état des lieux, enjeux et réflexions autour d'un outil d'étude des interactions hommes/oiseaux. Thèse d'université. Géographie. Université de Bretagne occidentale -Brest, 2009. Français.
<https://theses.hal.science/tel-00431281>

Leclercq B. 1985. Influence des routes et voies de pénétration humaine sur les comportements de grand tétras et de gelinottes dans le haut Jura français. Pages 197-203 in *Proceedings of Colloque " routes et faune sauvage "* :197-203.

Lewis J. S., Spaulding S., Swanson H., Keeley W., Gramza A. R., VandeWoude S., & K.R. Crooks. 2021. Human activity influences wildlife populations and activity patterns : implications for spatial and temporal refuges. *Ecosphere* 12 (5).
<https://doi.org/10.1002/ecs2.3487>

Li C., Monclús R., Maul T. L., Jiang Z. & Blumstein, D.T. 2011. Quantifying human disturbance on antipredator behavior and flush initiation distance in yellow-bellied marmots. *Applied Animal Behaviour Science* 129 : 146-152.

Lingg. 2008. Is wildlife inhabiting snow sport areas less fear than in undisturbed areas ? A case of study of the alpine Black Grouse. Bern University.

Marshall K. 2005. Capercaillie and recreational disturbance study : 50 p.

Ménoni E., Defos du Rau P. & Blanc P. 2007. Extension des domaines skiables et Grand tétras : l'expertise ONCFS. Rapport scientifique de l'ONCFS : 10-16.

Ménoni E., Favre-Ayala V., Cantegrel R., Revenga J., Camprodon J., Garcia D., Campion D. & Riba L. 2012. Réflexion technique pour la prise en compte du Grand Tétrás dans la gestion forestière pyrénéenne.

Ménoni E. & Fortin J. 2015. Emprise des loisirs de plein air sur les habitats des Galliformes de montagne dans les Pyrénées françaises. Faune Sauvage 306 : 38-43.

Ménoni E. & Magnani Y. 1998. Human disturbance of grouse in France. Grouse news 15 : 4-8.

Miller SG., Knight RL., Miller CK. 1998. Influence of recreational trails on breeding bird communities. Ecological Applications 8 (1) : 162-169.
[https://doi.org/10.1890/1051-0761\(1998\)008\[0162:IORTOB\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1998)008[0162:IORTOB]2.0.CO;2)

Mollet P. & Thiel D. 2009. Wintertourismus beeinflusst das Verhalten und die Stressphysiologie des Auerhuhns | Winter tourism influences the behaviour and the stress physiology of the capercaillie. Schweizerische Zeitschrift Fur Forstwesen 160 (10) : 311-317.
<https://doi.org/10.3188/szf.2009.0311>

Montadert M. 2007. Le dérangement : définition et approche scientifique développées pour évaluer son impact. Faune Sauvage.

Montadert M. 2013. Tétrás-lyre et dérangement touristique : Synthèse bibliographique. Fédération Départementale des Chasseurs de l'Isère : 44 p.

Watson A. & Moss R. 2004. Impacts of ski developpement on Ptarmigan (*lagopus mutus*) at Cairn Gorm Scotland. Biological Conservation 116 : 267-275.

Moss R., Leckie F., Biggins A., Poole T., Baines D. & Kortland K. 2014. Impacts of human disturbance on Capercaillie *Tetrao urogallus* distribution and demography in Scottish woodland. Wildlife Biology 20 : 1-18.

O'Connell M.J., Ward R.M., Onoufriou C., Winfield I.J., Harris G., Jones, R., Yallop M.L. & Brown A.F. 2007. Integrating multi-scale data to model the relationship between food resources, waterbird distribution and human activities in freshwater systems : preliminary findings and potential uses. Ibis 149 : 65-72.

Ohashi H., Saito M., Horie R., Tsunoda H., Noba H., Ishii H., Kuwabara T., Hiroshige Y., Koike S., Hoshino Y., Toda H. & Kaji K. 2013. Differences in the activity pattern of the wild boar *Sus scrofa* related to human disturbance. European Journal of Wildlife Research 59 : 167-177.

Ordiz A., Støen O.-G., Sæbø S., Sahlén V., Pedersen B.E., Kindberg J. & Swenson J.E. 2013. Lasting behavioural responses of brown bears to experimental encounters with humans. *Journal of Applied Ecology* 50 : 306-314.

Parc naturel régional des Ballons des Vosges. 2021. Suivi de la fréquentation par appareils photos à déclenchement automatique sur deux sites de présence du Grand Tétras, 2020-2021.

Poirot J. 2023. Suivi d'une place de chant de Grand tétras par appareils photos à déclenchement automatique en lien avec les dé/confinements. Tétrarchives.

Poirot J. 2022. Suivi de la grande faune par deux appareils photos à déclenchement automatique, en lien avec la fréquentation humaine. Tétrarchives.

Porkert J. 1978. The influence of human factors on tetraonid populations in Czechoslovakia. Pages 74-82. *in Proceedings of First International Grouse Symposium* :74-82.

Rösner S., Mussard-Forster E., Lorenc T. & Müller J. 2014. Recreation shapes a "landscape of fear" for a threatened forest bird species in Central Europe. *Landscape Ecology* 29 (1) : 55-66. <https://doi.org/10.1007/s10980-013-9964-z>

Rupf R., Wyttenbach M., Köchli D., Hediger M., Lauber S., Ochsner P. & Graf R. 2011. Assessing the spatio-temporal pattern of winter sports activities to minimize disturbance in capercaillie habitats.

Said S., Tolon V., Brandt S. & Baubet E. 2012. Sex effect on habitat selection in response to hunting disturbance : the study of wild boar. *European Journal of Wildlife Research* 58 (1) : 107-115.

Schulze K., Knights K., Coad L., Geldmann J., Leverington F., Eassom A., Marr M., Butchart SHM., Hockings M. & Burgess ND. 2018. An assessment of threats to terrestrial protected areas. *Conservation Letters* 11 (3) : 1-10. <https://doi.org/10.1111/conl.12435>

Scillitani L., Monaco A. & Toso S. 2010. Do intensive drive hunts affect wild boar (*Sus scrofa*) spatial behaviour in Italy? Some evidences and management implications. *European Journal of Wildlife Research* 56 (3) : 307-318. <https://doi.org/10.1007/s10344-009-0314-z>

Sehgal R.N.M. 2010. Deforestation and Avian Infectious Diseases. *Journal of Experimental Biology* 213 (6) : 955-60. <https://doi.org/10.1242/jeb.037663>

Stankowich T. 2008. Ungulate Flight Responses to Human Disturbance : A Review and Meta-Analysis. *Biological Conservation* 141 (9) : 2159–73. <https://doi.org/10.1016/j.biocon.2008.06.026>

Stettler M. & Christen R. 2010. Vielfältiger Lebensraum, Ruhe, Sensibilisierung – Auerhuhnförderung auf drei Ebenen. *Schweizerische Zeitschrift Für Forstwesen* 161 (7) : 258-263. <https://doi.org/10.3188/szf.2010.0258>

Steven R. & Castley JG. 2013. Tourism as a threat to critically endangered and endangered birds : Global patterns and trends in conservation hotspots. *Biodiversity and Conservation* 22 (4) : 1063-1082. <https://doi.org/10.1007/s10531-013-0470-z>

Strasser E.H. & Heath J.A. 2013. Reproductive failure of a human-tolerant species, the American kestrel, is associated with stress and human disturbance. *Journal of Applied Ecology* 50 : 912-919.

Storch I. 2013. Human disturbance of grouse - why and when? *Wildlife Biology* 19 : 390-403.
<https://doi.org/10.2981/13-006>

Suárez-Seoane S. & García-Rovés P. 2004. Do disturbances in surrounding areas affect a core population of Cantabrian capercaillie *Tetrao urogallus cantabricus*? The case of the The Natural Reserve of Muniellos (Asturias, NW Spain). *Ardeola* 51 (2) : 395-409.

Suchant R. & Schäfer A. 2002. Integrating Tourism and Grouse Habitat Protection in the Black Forest : 95-101.

Summers R.W., McFarlane J. & Pearce-Higgins J.W. 2007. Measuring avoidance by capercaillies *Tetrao urogallus* of woodland close to tracks. *Wildlife Biology* 13 : 19-27.

Tamisier A., Bechet A., Jarry G., Lefeuvre J.-C. & Le Maho Y. 2003. Effects of hunting disturbance on waterbirds. A review of literature. *Revue d'écologie* 58 (4) : 435-449.

Tarjuelo R., Barja I., Morales MB., Traba J., Benítez-López A., Casas F., Arroyo B., Delgado MP. & Mougeot F. 2015. Effects of human activity on physiological and behavioral responses of an endangered steppe bird. *Behavioral Ecology* 26 (3) : 828-838.
<https://doi.org/10.1093/beheco/arv016>

Taylor A. & Knight R. 2003. Wildlife responses to recreation and associated visitor perceptions. *Ecological Applications* 13 (4) : 951-963.

Thiel D., Ménoni E., Brenot J.-F. & Jenni L. 2007. Effects of recreation and hunting on flushing distance of capercaillie. *Journal of Wildlife Management* 71 :1784-1792.
<https://doi.org/10.2193/2006-268>

Thiel D. 2007. Behavioral and Physiological Effects in Capercaillie (*Tetrao urogallus*) Caused by Human Disturbance. *Journal of Wildlife Management*. Retrieved from <https://www.bioone.org/doi/full/10.2193/2006-268>

Thiel D. 2007. Measuring Corticosterone Metabolites in Droppings of Capercaillies (*Tetrao urogallus*). *Annals of the New York Academy of Sciences* 1046 : 96-108.

Thiel D., Jenni-Eiermann S., Palme R. & Jenni L. 2011. Winter tourism increases stress hormone levels in the Capercaillie *Tetrao urogallus*. *Ibis* 153 : 122-133.

Thiel D., Jenni-Eiermann S., Braunisch V., Palme R. & Jenni L. 2008. Ski tourism affects habitat use and evokes physiological stress response in Capercaillie *Tetrao urogallus*: a new methodological approach. *Journal of Applied Ecology* 45 : 845-853.
<https://doi.org/10.1111/j.1365-2664.2008.01465.x>

Viblanc V., Smith A., Gineste B. & Groscolas R. 2012. Coping with continuous human disturbance in the wild : insights from penguin heart rate response to various stressors. *BMC Ecology* 12 : 10.

Vogelwarte & University of Bern. 2008. Coqs de bruyère : prière de ne pas déranger ! Agriculture.

Von Holst D. 1998. The Concept of Stress and Its Relevance for Animal Behavior. *Advances in the Study of Behavior* 27 : 1-131. [https://doi.org/10.1016/S0065-3454\(08\)60362-9](https://doi.org/10.1016/S0065-3454(08)60362-9)

Walsh J.F., Molyneux D.H. & Birley M.H. 1993. Deforestation : Effects on Vector-Borne Disease. *Parasitology* 106 : 55-75. <https://doi.org/10.1017/S0031182000086121>

Wachbroit R. 1994. La normalité en tant que concept biologique. *Philosophie des sciences* 61 (4) : 579-591. <https://doi.org/10.1086/289823>

Wegge P. & Rolstad J. 2011. Clearcutting and eurasian boreal grouse : Long term monitoring reveals unexpected effects on their population performances. *Forest Management* 261.

White EM., Bowker JM., Askew AE., Langner LL., Arnold JR. & English BK. 2014. National Center for Natural Resources Economic Research Federal Outdoor Recreation Trends: Effects on Economic Opportunities.

Ydenberg R.C. & Dill L.M. 1986. The Economics of Fleeing from Predators. *Advances in the Study of Behavior* 16 : 229-249. [https://doi.org/10.1016/S0065-3454\(08\)60192-8](https://doi.org/10.1016/S0065-3454(08)60192-8)

Zeitler A. 2007. Habituation of Black Grouse to humans in the Bavarian Alps ? 4th International Black Grouse Conference, Vienne, 2007.

Zeitler A. 2000. Human disturbances, behaviour and spatial distribution of Black Grouse in skiing areas in the Bavarian Alps. *Cahier d'Ethologie* 20 : 381-402.

Zwijacz-Kozica T., Selva N., Barja I., Silvan G., Martinez-Fernandez L., Carlos Illera J. & Jodlowski M. 2013. Concentration of fecal cortisol metabolites in chamois in relation to tourist pressure in Tatra National Park (South Poland). *Acta Theriologica* 58 : 215-222.